

# **Urethral Dilatation**

**Patient Information** 

**Obstetrics & Gynaecology Department** 



Author ID: Leaflet ref: Version: Leaflet title: Last review: Expiry date: MC Gyn 014 10 Urethral Dilatation March 2025 March 2027

The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.



One **Team** 

# **Urethral dilatation**

The urethra is the tube that runs from the bladder to the outside, just in front of the vaginal opening, approximately  $1\frac{1}{2}$ " (4cm) in length. If the tube becomes inflamed or narrowed it can make it difficult for you to empty your bladder completely and also give you the desire to pass water more frequently. The inflamed urethra can also cause discomfort after intercourse.

During the procedure urethral dilators (narrow rods of gradually increasing thickness) are passed to dilate (stretch) the urethra back to its normal width.

Urethral Dilatation can be performed under general anaesthetic (asleep) or using local anaesthetic gel in clinic.

If you have a general anaesthetic, you will have received information on fasting prior to surgery.

## **Benefits**

Dilatation of the urethra should improve your urine flow rate. Following the procedure, you should experience improvement in your bladder symptoms and should be able to empty your bladder completely, but this may not be permanent, and the procedure does sometimes need to be repeated. If this is the case, then it may be possible to do it in clinic using local anaesthetic jelly rather than a general anaesthetic even if a general anaesthetic is used the first time.

## **Risks**

You may notice after the operation that you have slight bleeding from the area and possibly some blood in your urine for one to two days. It may also be painful to pass urine during this time.

It is important therefore to drink plenty of fluids for a few days following the procedure. This will reduce the risk of infection. You may also be given a course of a low dose antibiotic for three months to treat any inflammation that may be present. Please complete the course prescribed. If you have been through the menopause (change of life) you may have low levels of oestrogen which can cause the urethra to become narrow so you may be given oestrogen treatment into the vagina, which can also treat the bladder and the urethra.

## **Alternatives**

You may be advised to have urethral dilatation if other methods of treating your urinary symptoms such as antibiotics or anticholinergic tablets have failed to treat your symptoms.

# **Contact information**

If you have questions about the procedure, contact the secretary of the consultant team looking after you by telephoning the **hospital switchboard 01942 244000** or:

#### Hanover Nurses Leigh Infirmary 01942 264961 (days)

Or

Swinley Ward, Wigan Infirmary 01942 822568 (nights and weekends)

#### **Comments, Compliments or Complaints**

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

# **Contact Us**

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust Royal Albert Edward Infirmary Wigan Lane Wigan WN1 2NN

# **Ask 3 Questions**

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



## How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

#### Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212 Text: 81212 www.veteransgateway.org.uk

