

Cervical Radiculopathy

Patient Information

MSK Therapy Services



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: AY
Leaflet Ref: Tpy 010
Version: 2

Leaflet title: Cervical Radiculopathy

Last review: August 2025 Expiry Date: August 2027









Introduction

Cervical radiculopathy (ra·dic·u·lop·a·thy) is the technical term for when a nerve in your neck gets irritated. It can cause pain, numbness, tingling, or weakness. Neck pain does not mean you have a pinched nerve, although it may be present. It is often called a 'trapped nerve'. The exact site of the pain depends on which nerve is involved, but pain can be felt all the way down the arm.

Aims

A Physiotherapist will assess you to determine where the pain is coming from, and will give you exercises specifically tailored to address the problem. Other treatments will be discussed where appropriate.

If your symptoms have just begun they are likely to settle fully within 6-12 weeks. If your pain is severe, you may want to speak to your GP about appropriate pain relief specifically for nerve pain.

Exercises can be helpful in resolving an episode of cervical radiculopathy. We advise trying to maintain movement in your neck and in the nerves down your arm. Heat and/or ice can be helpful in managing your symptoms, and your Physiotherapist will discuss this with you.

Risks

It is important to monitor your symptoms, and seek urgent medical attention if you have any of the following symptoms:

- Weakness that is worsening
- Severe numbness that is worsening
- Loss of control of bladder or bowels (extreme and unlikely, but something to be mindful of)
- Fever not explained by flu or known infection, such as a bladder infection
- Severe, unremitting pain which does not improve with analgesia or rest.

Benefits

Starting exercises early can be helpful in speeding up your recovery, as can taking pain relief if prescribed by your GP, or over the counter medication recommended by a Pharmacist. The worst thing you can do is keep your neck still and not move, this will make future movements more painful and mean daily tasks will be difficult to carry out.

References:

https://www.webmd.com/pain-management/pain-management-cervical-radiculopathy https://cks.nice.org.uk/topics/neck-pain-cervical-radiculopathy/https://www.csp.org.uk/publications/neck-pain-exercises

Please use this space to write notes or reminders.

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.


Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:



- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk



Cervical Radiculopathy