

Shoulder Exercises Level 3

Patient Information

Musculoskeletal (MSK) Physiotherapy Services



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: GE Leaflet Ref: Tpy 028 Version: 2

Leaflet title: Shoulder Exercises Level 3

Date Produced: January 2024 Expiry Date: January 2026



Disclaimer

Not all exercises are suitable for everyone, and while every precaution was taken in selecting these exercises, they do not come without risks. If you have any concerns regarding injury, or whether or not you should partake in the exercises, then you should consult your <u>General practitioner (GP)</u> or Physiotherapist prior to commencing any exercises shown here.

It is quite normal to feel some discomfort following exercise, but it is important that this discomfort eases within 2 hours of finishing the exercise and doesn't have an overall negative effect on your symptoms.

The exercise plans shown here are designed to be used as a guide and a point of reference; they are not exhaustive and can be modified and progressed under the supervision of your physiotherapist.

Instructions

Aim to do the exercise plan 3 to 4 times per week, with at least 1 day off in between to allow for recovery.

Each exercise is repeated a number of times (for example, 5 or 10 times) to build up strength and flexibility. The repetitions make a 'set'.

The number of repetitions is a guide and can be increased or decreased according to pain levels. If the exercise causes pain that lasts for more than 2 hours after finishing the exercise, then decrease the repetitions.

Complete each exercise slowly and in a controlled manner; you should take your time and not rush. Take 30 seconds rest in between each set.

Contact the Physio department if you find the exercises are making your pain worse overall.

Contact Information

Leigh Health Centre

Telephone: 0300 707 1597 wwl-tr.leighphysio@nhs.net

Platt Bridge Health Centre

Telephone: 0300 707 1772

wwl-tr.mskphysio-bostonhouse@nhs.net

Wigan Health Centre, Boston House


Telephone: 0300 707 1113

Wwl-tr.mskphysio-bostonhouse@nhs.net

Therapy Department- Wrightington Hospital

<u>Telephone: 01257 256305</u> Wwl-tr.therapyadmin@nhs.net

Shoulder Level 3 – Exercises 1 to 8



1. Bent over Rows

Stand, leaning on a table or chair with one hand.


Let your other arm hang relaxed straight down and if you are able, hold a weight in that hand. The weight should be heavy enough to offer resistance but not too heavy that you struggle to lift it.

This weight could be a bag filled with objects, a dedicated weight such as a Dumbbell/Kettlebell, or even just a drinks bottle filled with water.

Bend your elbow bringing it behind your back and pull your shoulder blades together.

Control the return movement slowly.

Repeat 10 times. Sets 3



2. Front Raises

Stand with your hips and knees slightly bent, holding the weight in both hands. A bag filled with water bottles is ideal, and it can be filled/emptied to adjust the resistance level as necessary.

The weight should be heavy enough to offer resistance but not too heavy that you struggle to lift it.

Tighten your stomach and lower back muscles to stabilise your lower spine; and lift alternate arms up and bring back down both in a controlled manner.

Repeat 10 times. Sets 3



3. Lateral Raises


Stand tall, with arms by your sides, holding a weight (water bottle or bag are ideal and can be filled/emptied to adjust the resistance accordingly).

The weight should be heavy enough to offer resistance but not too heavy that you struggle to lift it.

Lift your arm to the side away from your body, keeping your elbow straight.

Control the return movement back to your side.

Repeat 10 times. Sets 3



4. Banded Wall Slide

You will need a resistance band for this exercise. If you have seen a Physiotherapist, you may already have one of these. If not, they can be bought easily from Amazon by searching for a resistance loop.

Stand tall, facing a wall. Hands at shoulder height, forearms against the wall with palms facing each other. An exercise band around both hands, slack taken off. Activate your trunk and buttocks and maintain neutral spine position throughout the exercise.

Lean towards the wall while sliding your arms upwards to a 'Y' position.

Return to the starting position. Keep tension on the band throughout the movements.

Repeat 10 times. Sets 3



5. Shoulder Press

Stand tall. Hold weights at shoulder height with your elbows pointing to the sides.

The weights could be a water bottle filled with water. This could be adjusted by using more or less water.

The weight should be heavy enough to offer resistance but not too heavy that you struggle to lift it.

Press the weights up to straight arms. Return to the starting position in a controlled manner.

Note:

- Try not to shrug your shoulders.
- Keep abdominals tight to avoid excessively extending your lower back.

Repeat 10 times. Sets 3



6. Side Plank

Side lying, feet next to each other. Upper body supported on your forearm, with the shoulder directly above the elbow.

Lift your pelvis and hold.

Note: Your body should be in a straight line when looking from the front or side.

Hold each one for as long as you can Repeat 5 times.



7. Plank Taps

Start on your hands and toes, with your body in a straight line. Push your chest slightly away from the floor and hold the position.

Shift the weight onto one arm and tap the supporting arm with the other hand.

Try to keep the position of your upper back (push strongly with the supportive arm towards the floor) and keep pelvis as level as possible.

Bring the weight back to two arms and repeat with the other side.

Repeat 10 times. Sets 3



8. Push Up, Narrow Hand Position

On your hands and knees, hands shoulder-width apart or narrower, elbows pointing back. Body in a straight line.

In a controlled manner, lower your chest close to the floor. Push back up.

Note: Keep your elbows close to your sides and forearms as upright as possible.

Repeat 10 times. Sets 3

PROGRESSION: This can be progressed by lifting up onto your toes in a full push up position, rather than on your knees, if you are able.

Please use this space to write notes or reminders.	
oulder Exercises Level 3	Page 7 of 8

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212 Text: 81212

www.veteransgateway.org.uk

