

# Metacarpal Head/ Neck Fracture of the hand

**Patient Information** 

Trauma & Orthopaedic Department



Author ID: Leaflet Ref: Version: Leaflet title: Last review: Expiry Date: VL

Musc 061

The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

5 Metacarpal Head/ Neck Fracture of the hand February 2024 February 2026



#### Introduction



You have fractured (broken) a bone near the knuckle of one of your fingers.

The fracture has occurred in a part of the bone which normally heals well without problems.

The pain, tenderness and swelling you are experiencing in the hand should gradually settle over a period of 6-8 weeks.



#### **Advice**

Your finger may be strapped to the next finger. This is called neighbour or buddy strapping. It supports your finger in the early stages of healing to help reduce the pain and allow movement. You can replace this tape at home if needed. Tape is not usually required for more that 7-10 days but can be removed as pain allows.

Simple pain relief e.g. paracetamol may be taken as required.

Smoking slows down the healing process. We advise that you stop (at least whilst recovering from your injury). Speak

to your GP or go online at: https://www.nhs.uk/smokefree

Use your hand as normally as possible for light activities as pain allows. Avoid heavy lifting, ball and contact sports for 6 - 8 weeks.

#### Things to expect

As the bone heals, it is usual for a lump to form at the break site, and for the knuckle to be less prominent, this can be permanent. Hand grip however is generally very good after this type of injury.

Most injuries heal well without any problems; however it may take 3-6 months for your symptoms to settle completely.

## Exercise



It is important to maintain movement of the hand to avoid stiffness developing, even if this means overcoming some discomfort.

Try to bend your fingers, aiming to touch your palm, and then straighten them regularly through the day.

It is quite normal to feel some discomfort following exercise, but it is important that this discomfort eases within 2 hours of finishing the exercise and does not have an overall negative effect on your symptoms.

## **Disclaimer**

Not all exercises are suitable for everyone, and while every precaution has been taken in selecting these exercises, they do not come without risks. If you have any concerns regarding your injury, or whether you should partake in the exercises, then you should consult your GP or physiotherapist before beginning any exercises in this leaflet.

The exercise plans shown in this leaflet are designed to be used as a guide and a point of reference; they can be modified and progressed under the supervision of your physiotherapist.

For more information online please visit https://www.wwl.nhs.uk/virtual-fracture-clinic

If you are still experiencing significant symptoms after 6 weeks, or if you have any concerns, please contact:

#### Fracture Clinic: 01942 822595 Monday to Friday (8.30am until 5pm)

If you have any urgent concerns out of hours, please call 111.

# **Comments, Compliments or Complaints**

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

# **Contact Us**

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust Royal Albert Edward Infirmary Wigan Lane Wigan WN1 2NN

# Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



## How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212 Text: 81212 www.veteransgateway.org.uk



Metacarpal Head/ Neck Fracture of the hand

Page 4 of 4