

# D Ward: Discharge advice following an injection

**Patient Information** 

D Ward



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: IJ

Leaflet Ref: Musc 043

Version: 7

Leaflet title: D Ward, Discharge Advice Following an Injection

Date Produced: August 2025 Expiry Date: August 2027







Kind and Respectful



### Introduction

Thank you for attending D Ward. We hope you have found everything to your satisfaction. If you do have any concerns, please raise them with a member of staff so we can deal with them promptly.

The following booklet will provide you with the relevant information required for your ongoing care needs when you have gone home.

Please do not hesitate to contact us at any time.

## **D** Ward

Monday to Friday 7:30am - 7:30pm Telephone **01257 256269.** 

Outside of these hours, D Ward's telephone will be re-directed to Ward B, who will answer any queries.

# **Out-patients Department**

Monday to Friday 9am until 5pm

Tel: 01257 256299

# **Outpatients**

Your clinic appointment is on:		
At:		
		Royal Albert Edward Infirmary
		Wrightington
		Leigh
		(Staff to tick as appropriate)

If your appointment is not given on discharge, you should receive it within 1 week. If for any reason you do not receive an appointment through the post, or if you have any problem with your Out-Patient appointment, please contact:

0121 299 9787

# Advice following injection:

- 1. You may have a small plaster covering the injection site. This can be removed after 24 hours, but do not worry if it falls off sooner.
- 2. Please keep an eye on the injection site for any untoward effects such as increased redness, swelling, significant increased pain, prolonged numbness and/or loss of sensation.
- 3. The area may become a little bruised after the injection and you may experience a short-term increase in the level of your pain. This is normal and will usually resolve within 24-48 hours. You may find taking painkillers beneficial. A small percentage of patients may experience an increased level of pain for much longer.
- 4. Depending on the type of injection you receive, you may be advised either to rest the area for 24 to 48 hours or to mobilise the joint, as advised by your doctor.

Should you be concerned about any of the above, please do not hesitate to contact the Ward.

# **Comments, Compliments or Complaints**

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.


### **Contact Us**

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

### **Ask 3 Questions**

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:



- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



### **How We Use Your Information**

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

# Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

