

Trail without Catheter (TWOC)

Patient Information

Urology



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: LC Leaflet Ref: Urol 021 Version: 4

Leaflet title: Trial Without Catheter (TWOC)

Date Produced: May 2024 Expiry Date: May 2026



Trial Without Catheter (TWOC)

You will be invited to The Richmond Urology Unit situated on the first floor of The Hanover Diagnostic and Treatment Centre at Leigh Infirmary. Here you will be greeted by a health care professional and shown to the area where you will be seated for the duration of the trial without catheter (TWOC). It is expected that you will be here for about of 4 hours.

Trial without catheter is the planned removal of your urinary catheter (the tube in your bladder). The catheter needs to be removed to see if you can pass urine and empty your bladder without it. Removing the catheter is the only way to find out if you can pass urine normally. Before removing your catheter, the nurse will put a small amount of water through the catheter into your bladder, so that your bladder is not completely empty when your catheter comes out.

After having your catheter removed you will be asked to drink water throughout the morning, about 1 cup every 30 to 45 minutes. You will be asked to pass urine into a bottle / bed pan so that it can be measured. You will have a scan of your bladder after you have passed urine to see if your bladder is emptying properly.

Is there anything I can do before my TWOC appointment?

Yes, you can:

- Make sure you have continued to take any medication prescribed by the Doctor for your prostate (men only).
- Make sure you are not constipated: ask your GP to prescribe medication to help you go to the toilet.
- Make sure you are drinking enough fluids, about 2 litres in 24 hours (8 cups).

What will happen if I do not pass urine after the catheter has been taken out?

- A new catheter may be inserted, or you may be shown how to pass a catheter yourself to drain your bladder, this is called clean intermittent self-catheterisation (CISC).
- Appropriate follow up will be arranged with your Consultant.
- There is a risk of developing a UTI (water infection) when you have a catheter, so it is
 important to continue to drink 2 to 3 litres of fluid a day. If you develop symptoms such
 as a high temperature, shivering and shaking, feeling unwell or flu like, or cloudy/smelly
 urine you may have a UTI (water infection) and you will need to take a sample of urine
 to your GP for analysis.

Trial Without Catheter (TWOC) Page 2 of 4

What will happen if I do pass urine after the catheter has been taken out?

- You may not need to see the Consultant again if you manage to pass urine but if necessary, appropriate follow up will be arranged.
- Drink about 2 litres of fluid a day following the TWOC and ensure you pass urine at least every 4 hours (even if you do not feel the need to go) to help strengthen the bladder muscle.
- You may still be at risk of needing another catheter for 1 to 2 weeks, if you feel you are not emptying your bladder properly, you are unable to pass urine, have abdominal pain (pain in your tummy), start to pass urine more frequently or start dribbling urine.

Contact

If you have any queries, please contact the Urology Nurses at the Richmond Urology Unit on:

01942 264491 or 01942 264956.

Trial Without Catheter (TWOC) Page 3 of 4

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk



Trial Without Catheter (TWOC) Page 4 of 4