

Anti-D following Early Pregnancy Loss

Patient Information

Obstetric Service

Author ID: JD
Leaflet Ref: Gyn 042
Version: v6
Title of Leaflet: Anti-D following Early Pregnancy Loss
Last reviewed: January 2021
Next review date: January 2023



Why have I been offered an Anti D injection?

Your blood group is Rhesus negative. If you have unfortunately suffered a pregnancy loss which required treatment you will be given an injection of Anti D as part of your care. If Anti D is not given to Rhesus negative ladies who lose an early pregnancy they may become sensitised to Rhesus positive blood. If this occurs there may be complications in the next pregnancy so it is important to try and prevent this.

What does it mean being Rhesus negative?

People can belong to one of four blood groups, A, B, AB and O. There is another important difference in people's blood called Rhesus factor, which is also found on the red blood cells. People who are Rhesus positive have a substance known as D antigen on the surface of their red blood cells – they are said to be Rhesus positive. People who are Rhesus negative do not have the D antigen on their blood cells – they are Rhesus negative. Blood groups and Rhesus factors are inherited from your parents. In Europe around 85% of people are Rhesus positive and 15% are Rhesus negative.

If red cells from the fetus are Rhesus positive and cross the placenta into the blood stream of a Rhesus negative woman they can stimulate an antibody response. This can happen during a routine pregnancy, miscarriage and trauma to the uterus (e.g. a car accident) during pregnancy.

The antibody response will produce a blood substance (antibody) that will cross the placenta and cause a breakdown of the red cells of a Rhesus positive baby causing Haemolytic Disease of the Newborn (HDN). HDN ranges from jaundice, to in severe cases, death of the baby.

The injection of Anti-D is given to reduce the likelihood of the antibody response and HDN in future pregnancies.

What is Anti-D?

Anti-D is a drug called an immunoglobulin. It is produced from plasma (the fluid part of blood) from blood donors. It is an injection given into a muscle in the arm. Rhophylac is a brand of Anti D.

Is Anti-D safe?

While it is a blood product, there have been no known cases of viral transmission (transmission of viruses like hepatitis and HIV) using Anti-D.

Are there any side effects to Anti-D?

Side effects are rare. You may experience some redness or soreness at the site of the injection.

What should I do in my next pregnancy?

In the future if you become pregnant and are Rhesus negative, your midwife, obstetrician or GP should discuss Anti-D treatment with you and explain the options available so that you are fully informed.

A nurse, midwife or doctor will be happy to tell you more about the Rhesus factor and what it means to you.

Reference

Recommended by the National Institute for Clinical Excellence; Routine antenatal Anti-D prophylaxis for women who are Rhesus negative. Technology Appraisal Guidance TA156, August 2008

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am to 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the pros and cons of each option for me?
3. How do I get support to help me make a decision that is right for me?



https://www.wrightingtonhospital.org.uk/media/downloads/sdm_information_leaflet.pdf

How We Use Your Information

For details on how we collect, use and store the information we hold about you, please take a look at our “how we use your information” leaflet which can be found on the Trust website: wwl.nhs.uk

This leaflet is also available in audio, large print, Braille and other languages upon request. For more information please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



EMPLOYER RECOGNITION SCHEME

SILVER AWARD

Proudly supporting those who serve.

Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

