

# Determining your Scan Pathway in Pregnancy (UtAD screening)

**Patient Information** 

**Maternity Services** 

Author ID: SW Leaflet Ref: Mat 004

Version: 1

Leaflet title: Determining your Scan Pathway in Pregnancy UtAD screening

Date Produced: January 2021 Review Date: January 2023



#### Introduction

All women will be offered a dating scan around 12 weeks of pregnancy and Fetal anomaly scan (FAS) around 20 weeks of pregnancy. Please follow the link for further details https://www.gov.uk/government/collections/screening-in-pregnancy-information-leaflets

For the women who we consider to be **high risk** of having a baby who might not grow to its full potential we can offer a Uterine Artery Doppler (UtAD) ultrasound screen. This leaflet will explain about this in more detail.

## **Aims**

The aim of having UtAD screening is to identify those babies that are at greater risk of not growing to their full potential and the likelihood of the mother developing pre-eclampsia.

The UtAD scan is a screening test that measures the blood flow through the uterine arteries. Uterine arteries are blood vessels that carry blood to your womb (uterus). The Doppler measurement uses sound waves to check if the blood is flowing through the arteries easily. These measurements are performed between 20-24 weeks of pregnancy, usually at the same time as your fetal anatomy scan. However, due to technical reasons eg raised BMI or your baby's position the screening is not always possible.

Pre-eclampsia is a condition that usually develops after the 20<sup>th</sup> week of pregnancy and can lead to complications such as high blood pressure, blood clotting problems (HELLP syndrome) and convulsions. Although the exact cause of pre-eclampsia is unknown it is thought to occur when there is a problem with the placenta.

You will be offered UtAD screening if:

- You have certain medical conditions
- Your previous baby was small (<3<sup>rd</sup> centile)
- You had blood pressure problems in your previous pregnancy or you have had a stillbirth and your baby was small (<10<sup>th</sup> centile)

And / or

During this pregnancy you have:

- Low PAPPA <0.415 MoM, raised Inhibin A or raised AFP > 2.0 MoM these are hormones measured in your blood sample if you have screening for Down's, Edward's or Patau's syndromes during your pregnancy.
- At your 18-20 week scan either:
  - Your baby's bowel is seen to be very bright (echogenic bowel)
  - Your baby is considered smaller than expected (<10th centile)</li>
- You have had significant heavy bleeding up to 24 weeks of pregnancy
- You develop gestational hypertension or pre-eclampsia between 20-24 weeks.

## **Risks**

Although there are no known risks to you having the screening test, having the UtAD test may result in you having a positive screen which may cause you a lot of worry and anxieties. Please speak to your midwife or obstetrician who will be happy to answer your questions.

### **Benefits**

The main benefit of the UtAD screening test is that early identification of a problem means the Maternity team can offer you extra appointments, scans and additional monitoring to closely observe you and your baby.

# What happens if I have a normal UtAD screen?

If your UtAD screen is considered to be normal you will see an Obstetrician who will discuss with you your individualised plan of care which will include arranging any further growth scans that are required from 32 weeks of pregnancy.

If your UtAD screen is considered normal but you have Low PAPPA <0.415 MoM, Raised Inhibin A or Raised AFP your growth scans will commence from 35 weeks of pregnancy.

# What happens if I have an abnormal UtAD screen?

If your UtAD screen is considered abnormal this may mean that:

- The Uterine Artery Pulsitility Index (a measure of blood flow through the artery in your placenta referred to as PI) is above the 95<sup>th</sup> centile
- There is a notch in the uterine artery Doppler trace

You will have your individualised care planned by your Obstetrician. This will include having the UtAD repeated at approximately 23+6 weeks of pregnancy. Often, this repeat UtAD is normal, in which case the plan of care reverts to that described in the normal screen. If it remains abnormal regular growth scans will be arranged from 28 weeks.

• Your baby's estimated fetal weight (EFW) is plotting less than the 10<sup>th</sup> centile

If your baby's weight is less than the 10<sup>th</sup> centile at the 1<sup>st</sup> UtAD screen, even if the Doppler is normal, you will be referred for a scan with a Consultant

# **Further support**

Please speak to your Midwife or Obstetrician who will be able to answer any of your questions.

#### Reference

GMEC SCN (2020) V21 Northwest regional guideline detection and management of Fetal Growth Restriction

# **Comments, Compliments or Complaints**

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends and carers.

## **Contact Us**

Tel: 01942 822376 (Monday to Friday 9am to 4pm)

The Patient Relations/PALS Manager Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust Royal Albert Edward Infirmary Wigan Lane Wigan WN1 2NN

## **Ask 3 Questions**

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the pros and cons of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



https://www.wrightingtonhospital.org.uk/media/downloads/sdm\_information\_leaflet.pdf

## **How We Use Your Information**

For details on how we collect, use and store the information we hold about you, please take a look at our "how we use your information" leaflet which can be found on the Trust website: https://www.wwl.nhs.uk/patient information/leaflets/

This leaflet is also available in audio, large print, Braille and other languages upon request. For more information please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

## Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212 Text: 81212

www.veteransgateway.org.uk

