

**NHS Foundation Trust** 

Trust Headquarters
Chief Nurse

Royal Albert Edward Infirmary Wigan Lane Wigan WN1 2NN

T: 01942 773291

E: kevin.parker-evans@wwl.nhs.uk

Ref: FOI/2025/10602

Date Received: 19th March 2025

Response Due: 16th April 2025

Date: 8th April 2025

Dear Sir/Madam

With reference to your request for information received on 19<sup>th</sup> March 2025, I can confirm in accordance with Section 1 (1) of the Freedom of Information Act 2000 that we do hold the information you have requested. A response to each part of your request is provided below.

In your request you asked:

Under the Freedom of Information Act 2000, I would like to request the following information:

- 1. The number of serious incidents, near misses or 'never events' reported involving a Physician Associate or Anaesthesia Associate. Please can you also include results for 'PA' and 'AA' if that is how their job title has been logged.

  0.
- 2. Where possible can I have a breakdown including the year, department, severity and outcome (if too much just the year and department).

  N/A.

If you are not entirely satisfied with this response, please do not hesitate to contact the Information Governance Department via the email address provided. If we do not hear from you within 40 days, we will assume that we have been able to accommodate your request under the Freedom of Information Act 2000.

## Yours sincerely,

Kevin Parker-Evans MBA, FCMI, CMgr. RN Dip HE

Chief Nursing Officer & Director of Infection Prevention and Control

## PLEASE NOTE:

If you are unhappy with the service you have received in relation to your request and wish to make a complaint or request a review of our decision, you should write to: Information Governance Department, Wrightington, Wigan and Leigh NHS Foundation Trust, Suite 9, Buckingham Row, Brick Kiln Lane, Wigan, WN1 1XX.

If you are not content with the outcome of your complaint, you may apply directly to the Information Commissioner for a decision at:

The Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire, SK9 5AF

Helpline number: 0303 123 111