



**Wrightington, Wigan and
Leigh Teaching Hospitals**
NHS Foundation Trust

Testicular Self Examination

Testicular Self-Examination

Patient Information

Urology Department

- Author ID: AT
- Leaflet ref: Surg 057
- Version: 6
- Leaflet title: Testicular Self-Examination
- Last review: January 2025
- Expiry Date: January 2027

Testicular Self - Examination

Monthly testicular examinations from puberty can detect testicular cancer at an early, detectable stage. Self-examination is best performed after a warm shower/bath

Performing the Examination

Stand in front of a mirror:

- Check for any scrotal skin swelling
- Roll the testicles between thumbs and fingers of both hands – there should be no pain. If one testicle is slightly larger than the other, no need to worry, this is normal
- Feel the epididymis (soft tube behind testis) for any lumps



If a lump is found contact your doctor straight away

Other important conditions to be aware of:

- Any enlargement/decrease in size of a testicle
- A feeling of heaviness in the scrotum and/or a sudden collection fluid in the scrotum
- A dull ache in the lower abdomen or groin

Signs unlikely to be testicular cancer include:

- A pimple/rash on the scrotum
- A free-floating lump on the scrotum or epididymis not attached to anything
- Pain or burning during urination
- Blood in the urine/semen

Anything out of the ordinary should be mentioned to your GP



Version number: **6**
Last modified date: **03rd July 2026**

All rights reserved © 2026
WWL Teaching Hospitals NHS Foundation Trust